

United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov 4615 1609 Incoming

0010

IN REPLY PLEASE REFER TO: 3452
Trail Mountain LMU (UTU-73339)
UTU-49332, UTU-64375, UTU-082996
(UT-923)

MAR 2 6 2010

Certified Mail—Return Receipt Requested 7008 1140 0000 3706 1604

Interwest Mining Co. , Managing Agent Subsidiary of PacifiCorp Scott M. Childs Manager, Lands and Regulatory Affairs 1407 W. North Temple, Suite 310 Salt Lake City, Utah 84116

CORRECTED

A request for partial relinquishments of Federal coal leases UTU-49332 and UTU-64375 was filed in this office January 9, 2009, by Interwest Mining Co., Managing Agent, a Subsidiary of PacifiCorp the lessee of record (Interwest). The partial relinquishments were accepted by BLM on September 24, 2009.

As a result of the partial relinquishments, the Federal Lease recoverable reserve tonnages are:

Feder	al Lease		Recoverable Tons
UTU-	49332		1,239,935
UTU-	64375		433,363
UTU-	082996		56,718
		Total	1.730.016 corrected

The related spreadsheet and map illustrating the recoverable tonnage areas are attached.

It is necessary to revise the Trail Mountain LMU (UTU-73339). This will require a revised Resource Recovery and Protection Plan (R2P2) for the Trail Mountain Mine including revised projected timing. Interwest is required to provide the necessary proposed R2P2 revision within 90 days of receipt of this CORRECTED letter.

If you have questions please call Jeff McKenzie at (801) 539-4086 or Steve Rigby at (435) 636-3604.

/s/ Roger L. Bankert

Roger L. Bankert Chief, Branch of Minerals RECEIVED

MAR 2 9 2010

cc: Dana Dean, Associate Director, Mining, UDOGM, Box 145801, Salt Lake City, Utah 84114-5801

DIV. OF OIL, GAS & MINING

BLM Price Field Office (Attn: Steve Rigby)

BLMrevisedJM-SA-3-26-10

Checklist and Documentation of Findings

Federal Coal Lease Relinquishment Under 43 CFR 3452 UTU-49332

Exhibit A

Partial Relinquishment

The legal description for the area of partial relinquishment of UTU-49332 is described below:

T. 17 S., R. 6 E., SLM, Utah

Section 35: Lots 1 and 2, SE¼NE¼, E½SW¼NE¼, E½SE¼, E½W½SE¼

Total acres surrendered: 261.47

Lease Acreage Retained

The legal description for the area to be retained in UTU-49332 is described below:

T. 17 S., R. 6 E., SLM, Utah

Section 25: S½NW¼, W½SW¼, W½E½SW¼;

Section 26: SE¼NE¼, E½SW¼NE¼, E½SE¼, E½W½SE¼

Total acres retained: 380.00

Checklist and Documentation of Findings Federal Coal Lease Relinquishment Under 43 CFR 3452 UTU-64375

Exhibit A

Partial Relinquishment

The legal description for the area of partial relinquishment of UTU-64375 is described below:

T. 17 S., R. 6 E., SLM, Utah

Section 34: All;

Section 35: Lots 3 and 4, W1/2SW1/4NE1/4, S1/2NW1/4, SW1/4, W1/2W1/2SE1/4

T. 18 S., R. 6 E., SLM, Utah

Section 1: Lots 1 - 8, S½N½, E½NE¼SW¼, E½NW¼NE¼SW¼, N½NW¼NE¼SE¼,

N½NW¼SE¼

Section 2: Lots 1 – 8, S½N½, N½NE¼SW¼, N½SW¼NE¼SW¼, SE¼NE¼SW¼,

NW14NE14SE14, N12SW14NE14SE14, N12NW14SE14, N12S12NW14SE14

Section 3: Lots 1, 2, 3, 7, 8, E½ of Lot 6, NE¼SE¼NE¼, NW¼SE¼NE¼, S½SE¼NE¼,

NE4SW4NE4

T. 18 S., R. 7 E., SLM, Utah

Section 6: Lots 4 – 7, W½SE¼NW¼, W½E½SW¼

Total acres surrendered: 2,504.01

Lease Acreage Retained


The legal description for the area to be retained in UTU-64375 is described below:

T. 17 S., R. 6 E., SLM, Utah

Section 26: \$\(\sum_2 \sum_3 \sum_4 \sum_4

Section 27: S1/2S1/2

Total acres retained: 260.00



BLM Utah State Office Trail Mountain Mine Federal Leases Recoverable in U-64375, UTU-49332, U-8299

1st West

Main South

Remaining Federal Lease Recoverable Tons

UTU-49332 1,239,935 UTU-082996 56,718 UTU-64375 433,363 Total 1,730,016

26-Mar-2010 : JDM

100

100 2300

120 4100

Please note: Coal heights from Kohler isopach map of 6/94

In-place coal density =

CM

CM/Rtrt

Developed

CM/Rtrt

Developed

9.50

9.50

420

320

4100 16,359,000

1680 5,107,200

82

pounds/ cu foot

UTU-49332 Longwall / CM Block Development Mining Mining (in feet) Recoverable Recoverable Development Mine Mining Area Mining Type height width length Comments Trail Mountain Longwall 1 516,600 near the portals (scaled before Jan 2002) 630 2000 12,600,000 LW 1 Headgate neck-off CM 17,000 entered as one entry 50 50 LW 1 Headgate CM 100 2400 938,400 38,474 West bleeder CM 8.5 20 20 246,330 938,400 10,100 650 - 20 [rib to rib] - 20 [one less x-cut] 100 630 LW | North bleeder LW | Set-up CM 100 2400 CM 50 100 450 175,950 7,214 LW 1 Set-up single CM 1,324 8.5 20 50 100 190 32,300 single entry Longwall 2 LW. 10.5 630 1510 9,988,650 409,535 near the portals (scaled before Jan 2002) LW 2 Headgate neck-of LW 2 Head gate 697 CM 17,000 entered as one entry CM 742,900 175,950 8.5 20 20 50 50 100 1900 30,459 7,214 1,324 LW 2 Set-up CM 100 450 8.5 LW 2 Set-up single LW 1 & 2 South bleeder

> 120 1680 -80,016 already mined on development Total Longwall Recoverable tons 313,800 Total Development Recoverable tons 926,135 Total Longwall Recoverable tons Total recoverable tons 1.239.935

8.5 20

20

50

100

	UTU-082996		Longwall / CM Block														
			Mining (in feet)			Recoverable	Mining Entries			Pillar (ctr-ctr)		Development		Recoverable			
Mine	Mining Area	Mining Area	Mining Type	height	width	length	volume	tons	number	height	width	width	length	length	volume	tons	Comments
rail Mountair	South access neck-off	CM						1	8.5	20			270	45,900	1,882	entered as one entry	
	South access	CM						3	8.5	20	50	100	1700	1,040,400	42,656		
	Longwall 1							11-7								near the portals	
	LW Headgate neck-off	CM						1	8.5	20	50	100	410	69,700	2,858	entered as one entry	
	LW 1 Headgate neck-off	CM						2	8.5	20	50	100	75	29,325	1,202		
	Longwall 2															near the portals	
	LW 2 Headgate neck-of	CM						1	8.5	20	50	100	410	69,700	2,858	entered as one entry	
	LW 2 Head gate	CM						2	8.5	20	50	100	75	29,325	1,202	·	
	LW 1& 2 South bleeder							1 - 2 -									
	LW 2 Headgate neck-of	CM						1	8.5	20	50	100	410	69,700	2,858	entered as one entry	
	LW 2 Head gate	CM						2	8.5	20	50	100	75	29,325	1,202		
			To	tal Longv	wall Reco	verable tons	0	_						coverable tons			

Total recoverable tons Royalty @ 8% and \$17/recoverable ton

32,300

899,300

5,343,667

single entry

104,698 @ 50% recovery

@ 50% recovery

-219,090 already mined on development

36,871 335,360

56,718

433,363

	UTU-64375 Mining Area		Longwall /CM Block													
		ining Area Mining Type	Mining (in feet)				Recoverable	Mining Entries			Pillar (ctr-ctr)		Development		Recoverable	
Mine			height	width	length	volume	tons	numbe	e height	width	width	length.	length	volume	tons	Comments
rail Mounta	in NW Block				-										-	
	A	CM/Rtrt	11.00	530	3010	17,548,300									359,740	@ 50% recovery
	В	CM/Rtrt	11.00	300	1660	5,478,000									112,299	@ 50% recovery
	Less prior two entry					74										
	Headgate entries	CM						2	8.5	20	50	100	1630	637,330	-26,131	
	Bleeder entries	CM						2	8.5	20	80	120	720	306,000	-12,546	
			To	tal Long	wall Reco	verable tons	()			Tota	Develo	pment Re	coverable tons	433,363	
			5/						Total Longwall Recoverable tons -							

Total recoverable tons Royalty @ 8% and \$17/recoverable ton